GIL

5 DOGGOTOG OLLE

15

20

1. An aqueous solution comprising a microbicide and a compound having the formula

$$(CH_2)_a$$
—OH
 $(CH_2)_b$ — $(CH_2)_d$ — $(CH_2)_e$ — $(CH_2)_e$ — $(CH_2)_g$ —OH
 $(CH_2)_c$ —OH
 $(CH_2)_b$ — $(CH_2)_b$ —OH

wherein

a, b, c, d, e, f, g, and h are independently integers from 1 to 6; and

R and R' are independently chosen/from the group consisting of -H, $-CH_3$, $-(CH_2)_{2-6}-H$, and $-(CH_2)_{1-6}-OH$.

- 2. The aqueous solution of claim 1 wherein said compound is provided as a water-soluble salt.
- 3. The aqueous solution of claim 1 wherein said compound is provided in a quantity sufficient to maintain said aqueous solution at a pH between about 6.4 and 7.8.
- 4. The aqueous solution of claim 1 wherein the concentration of said compound is from about 0.001 to 0.2 molar.
- 5. The aqueous solution of claim 1 wherein said compound is 1,3-bis(tris[hydroxymethyl]methylamino)propane.
- 6. The aqueous solution of claim 1 wherein said microbicide is selected from the group consisting of polyhexamethylene biguanide, alexidine, hexetidine. N-alkyl-2-pyrollidinone, chlorhexidine, polyquaternium-1, bronopol, benzalkonium chloride, benzethonium chloride, hydrogen peroxide, salts thereof, and mixtures thereof.

- 7. The aqueous solution of claim 6 wherein the microbicide is selected from the group consisting of polyhexamethylene biguanide, alexidine, salts thereof, and mixtures thereof.
- 8. The aqueous solution of claim 1 wherein said microbicide is a provided in a quantity sufficient to disinfect a contact lens.
- 5 9. The aqueous solution of claims wherein said microbicide is a provided in a quantity insufficient to disinfect a contact lens, but in quantity sufficient to provide preservative efficacy.
 - 10. The aqueous solution of claim 1 further comprising a chelating agent.
 - 11. The aqueous solution of claim 10 wherein said chelating agent is selected from the group consisting of ethylene diamine tetraacetic acid, diethylene triamine pentaacetic acid, salts thereof, and mixtures thereof.
 - 12. The aqueous solution of claim 1 further comprising a surfactant.
 - 13. The aqueous solution of claim 12 wherein said surfactant is selected from the group consisting of poloxomers, poloxamines, octoxynol, hydroxylated castor oil, and tyloxapol.
 - 14. The aqueous solution of claim 1 further comprising a tonicity agent.
 - 15. The aqueous solution of claim 14 wherein said tonicity agent is sodium chloride.
 - 16. The aqueous solution of claim 1 further comprising a viscosity modifying agent.
 - 17. The aqueous solution of claim 16 wherein said viscosity modifying agent is selected from the group consisting of lecithin, hydroxymethylcellulose, hydroxypropylcellulose,
- 20 hydroxypropylmethylcellulose, and methylcellulose, polyvinyl alcohol, and polyvinyl pyrolidone.
 - 18. An aqueous solution comprising from 0.1 to 10 ppm of a microbicide selected from the group consisting of polyhexamethylene biguanide and alexidine; and 0.001 to 0.2 mol/L of

5

- 1,3-bis(tris[hydroxymethyl]methylamino)propane or a salt thereof, said solution adjusted to pH 6.8 to 7.5.
- 19. An aqueous solution comprising a preservative and a compound having the formula

$$(CH_2)_a$$
—OH
 $(CH_2)_b$
 $(CH_2)_d$
 $(CH_2)_e$
 $(CH_2)_e$
 $(CH_2)_g$
 $(CH_2)_b$
 $(CH_2)_h$
 $(CH_2)_h$
 $(CH_2)_h$
 $(CH_2)_h$
 $(CH_2)_h$
 $(CH_2)_h$
 $(CH_2)_h$

wherein

a, b, c, d, e, f, g, and h are independently integers from 1 to 6; and

R and R' are independently chosen from the group consisting of -H, $-CH_3$, $-(CH_2)_{2-6}-H$, and $-(CH_2)_{1-6}-OH$.

20. The aqueous solution of Claim 19, further comprising a pharmaceutically active compound.